



Attorney Docket No. 1341.1090

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Takeshi SHIMOYAMA, et al.

Application No.: 09/811,551

Confirmation No.: 9098

Filed: March 20, 2001

U.S. Patent No.: 6,956,951

Issued: October 18, 2005

ATTENTION

CERTIFICATE OF CORRECTION

BRANCH

Batch No.:

For: EXTENDED KEY PREPARING APPARATUS, EXTENDED KEY PREPARING METHOD, RECORDING MEDIUM AND COMPUTER PROGRAM

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents  
PO Box 1450  
Alexandria, VA 22313-1450

Certificate  
JUN 12 2006  
of Correction

Sir:

Patentee(s) respectfully request(s) that a Certificate of Correction be issued in the subject patent, pursuant to 35 U.S.C. §254 and 37 C.F.R. §1.322, to correct the mistake(s) shown on the attached Form PTO-1050.

Since the mistakes are Patent Office mistakes, it is believed that no fee is required.

Respectfully submitted,

STAAS & HALSEY LLP

Date:

Jul 6 2006

By:

Mark J. Henry

Mark J. Henry  
Registration No. 36,162

1201 New York Ave, N.W., 7th Floor  
Washington, D.C. 20005  
Telephone: (202) 434-1500  
Facsimile: (202) 434-1501

06/08/2006 JADD01 00000056 6956951

01 FC:1811

100.00 OP

JUN 12 2006

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.  
(Also Form PTO-1050)

## UNITED STATES PATENT AND TRADEMARK OFFICE

# CERTIFICATE OF CORRECTION

PATENT NO : 6,956,951

DATED : October 18, 2005

INVENTOR(S) : Takeshi SHIMOYAMA, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Claim 20, column 17, line 5, before "one" insert --selecting--

**MAILING ADDRESS OF SENDER:**

**STAAS & HALSEY**  
1201 New York Avenue, N.W.  
7th Floor  
Washington, DC 20005

PATENT NO. 6,956,951

No. of add'l copies  
@ 304 per page

⇒

**JUN 12 2006**